

മലയാളം – LINGUIS \TeX -MALAYALAM

നിർജന

27 April 2026 (v0.9b)

🏠 <https://ctan.org/pkg/linguistix>

📌 <https://puszcza.gnu.org.ua/projects/linguistix>

🗨 <https://matrix.to/#/#linguistix:matrix.org>

I initialise the package with basic information.

```
1 <*malayalam>
2 \ProvidesExplPackage{linguistix-malayalam}
3     {2026-04-27}
4     {v0.9b}
5     {മലയാളം (Malayalam)}
```

Average height of Malayalam conjuncts could be more than that of Latin letters with descenders. This requires minor adjustments in the baseline stretch. To do it uniformly for footnotes also, I use the `setspace` package (if not loaded already).

```
6
7 \IfPackageLoadedF { setspace } {
8   \RequirePackage { setspace }
9 }
```

We need to set the spacing between lines for which I use an internal floating point number. It is declared here.

```
10
11 \fp_gzero_new:N \g_മലയാളം_വരികൾക്കിടയിലെ_അകലം_fp
```

This macro grabs an argument, (g-)sets it as the value of `\g_മലയാളം_വരികൾക്കിടയിലെ_അകലം_fp` and resets the baseline stretch with `\setstretch` command. If the current class is `memoir`, then there is a method to do that without any package. I use that.

The LINGUIS \TeX bundle

Copyright © 2025, 2026 നിർജന

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but *without any warranty*; without even the implied warranty of *merchantability* or *fitness for a particular purpose*. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.

```

12
13 \cs_new_protected:Npn \മലയാളം_വരികൾക്കിടയിലെ_അകലം:n #1 {
14   \fp_gset:Nn \g_മലയാളം_വരികൾക്കിടയിലെ_അകലം_fp { #1 }
15   \IfClassLoadedTF { memoir } {
16     \setSingleSpace {
17       \fp_use:N \g_മലയാളം_വരികൾക്കിടയിലെ_അകലം_fp
18     }
19     \SingleSpacing
20   } {
21     \setstretch {
22       \fp_use:N \g_മലയാളം_വരികൾക്കിടയിലെ_അകലം_fp
23     }
24   }
25 }
26
27 \cs_gset_eq:NN \വരികൾക്കിടയിലെഅകലം
28           \മലയാളം_വരികൾക്കിടയിലെ_അകലം:n

```

Here I define two keys for adjusting the space between lines.

```

29
30 \keys_define:nn { മലയാളം } {
31   വരികൾക്കിടയിലെ~ അകലം
32   .code:n          = {
33     \മലയാളം_വരികൾക്കിടയിലെ_അകലം:n { #1 }
34   },
35   വരികൾക്കിടയിലെ~ അകലം
36   .initial:n       = { 1.2 }
37 }

```

The `babel` package defines `\extrasxxxx` commands for languages where the additional code that should go with a particular language (`xxxx` in this case) is set. The `\addto` command is used for appending to the same. I start with defining additional macros for Malayalam.

```

38
39 \addto { \extrasmalayalam } {

```

I have added the command for using the socket for native numbering. It will pickup its value from the current assignment of the plugs and produce the results accordingly.

```

40   \socket_use:n { lngx / native-numbering }

```

By default, \LaTeX prints roman numeral (in capital) as part numbers. They are not suitable for Malayalam. Thus we change them to arabic instead.

```

41   \cs_set:Npn \thepart { \lngx_counter:n { part } }

```

The default \LaTeX produces Latin numerals, roman (small and capital both) alphabets and a-z alphabets with `enumerate` at different levels of nesting. In Malayalam, both are irrelevant. Thus I renew all of the concerned commands and change them to print

Malayalam numbers. Since Malayalam doesn't have much variety available for counters, I have chosen a simpler style, i.e. I, I.I, I.I.I and I.I.I.I.

```

42 \cs_set:Npn \theenumi { \lngx_counter:n { enumi } }
43 \cs_set:Npn \theenumii {
44   \lngx_counter:n { enumi } .
45   \lngx_counter:n { enumii }
46 }

```

A period is added after each 'label' in enumerate. In default L^AT_EX, the label for second level enumeration is printed inside brackets. We don't need it in Malayalam. So I change the `\labelenumii` command and add a period. It is not added for the first level because that's L^AT_EX-default too. Similarly, this is extended to all the other levels.

```

47 \cs_set:Npn \labelenumii { \theenumii . }
48 \cs_set:Npn \theenumiii {
49   \lngx_counter:n { enumi } .
50   \lngx_counter:n { enumii } .
51   \lngx_counter:n { enumiii }
52 }
53 \cs_set:Npn \labelenumiii { \theenumiii . }
54 \cs_set:Npn \theenumiv {
55   \lngx_counter:n { enumi } .
56   \lngx_counter:n { enumii } .
57   \lngx_counter:n { enumiii } .
58   \lngx_counter:n { enumiv }
59 }
60 \cs_set:Npn \labelenumiv { \theenumiv . }

```

The `expex` package has an independent mechanism of defining and using counters. I define a set called മലയാളം here and make it the default when Malayalam is used. Note that this change will go with the `\lngx_misc_reset:` command. Refer to `linguistix.pdf` for more information on this.

```

61 \IfPackageLoadedT { expex } {
62   \definelabeltype { മലയാളം } {
63     labelgen           = { list },
64     labellist         = {
65       ക, ഖ, ഗ, ഘ, ങ,
66       ച, ഛ, ജ, ഡ, ള,
67       ട, റ, ഡ, ള, ണ,
68       ത, ഡ, ങ, ഡ, ണ,
69       ഫ, ഫ, ണ, ങ, മ,
70       യ, ര, റ, ല, ഉ, ഴ, റ, ശ, ഷ, സ, ഹ
71     },
72     labelformat       = {A.},
73     fullrefformat     = {XA},
74     labelalign        = {left},

```

```

75     labelwidth           = {1.5em}
76   }
77   \lingset {
78     labeltype           = { മലയാളം }
79   }
80 }

```

Malayalam doesn't distinguish between Italic and Upright. So I redefine `\emph` to produce the argument in bold instead. This also goes when `\lngx_misc_reset:` is used.

```

81   \cs_gset_eq:NN \emph \textbf
82 }
83
84 \tl_if_eq:NnTF \g_lngx_main_language_tl { malayalam } {

```

The `\arraystretch` command needs to be reset to a larger value so that it can incorporate Malayalam's vertical conjuncts.

```

85   \cs_set:Npn \arraystretch { 1.2 }

```

The Rachana Institute of Typography has created a variety of fonts that have full glyph set of Malayalam. Rachana and MeeraNew have the most robust feature-set and hence they are set in main and sans families respectively. In the context of mono, despite being a little less feature-rich, `tnjoy` looks like a better fit. So I have used it.

```

86   \lngx_set_keys:n {
87     text~ main~ font           = { RIT-Rachana-Regular.ttf },
88     text~ sans~ font          = { RIT-MeeraNew.ttf },
89     text~ mono~ font          = { RIT-tnjoy-regular.ttf }
90   }

```

RIT's fonts have Italic shapes, but since Indian scripts do not have the tradition of Italic shapes, their regular versions are used where Italic would be expected. MeeraNew doesn't provide a bold font, so a slight boldness is faked.

```

91   \clist_map_inline:nm {
92     upright,
93     italic,
94     slanted,
95     swash,
96     small~ caps
97   } {
98     \lngx_set_keys:n {
99       text~ #1                 = { RIT-Rachana-Regular.ttf },
100      text~ bold~ #1           = { RIT-Rachana-Bold.ttf },
101      text~ sans~ #1           = { RIT-MeeraNew.ttf },
102      text~ sans~ bold~ #1     = { RIT-MeeraNew.ttf },
103      text~ sans~ bold~ #1~
104      features                  = {
105        FakeBold                = { 1.2 }

```

```

106     },
107     text~ mono~ #1      = { RIT-tjjoy-regular.ttf },
108     text~ mono~ bold~ #1 = { RIT-tjjoy-bold.ttf }
109   }
110 }

```

Using the `text extra features` key, I declare NFSS families called `മലയാളം_main`, `മലയാളം_sans`, `മലയാളം_mono` that will be used later. Also, I use the key for interword-spacing here.

```

111 \ltx_set_keys:n {
112   text~ main~ extra~
113   features          = {
114     NFSSFamily      = { മലയാളം_main },
115     Scale           = { 1.3 }
116   },
117   text~ sans~ extra~
118   features          = {
119     NFSSFamily      = { മലയാളം_sans },
120     Scale           = { 1.3 }
121   },
122   text~ mono~ extra~
123   features          = {
124     NFSSFamily      = { മലയാളം_mono },
125     Scale           = { 1.3 }
126   }
127 }
128 } {

```

In the false branch (i.e., if Malayalam is not the main language), I use the macros that set the ‘other’ (non-main) fonts for Malayalam. The fonts are the same, but the key-value interface is not available, so the code is slightly verbose. Before that we load the `onchar` option with `ids` and `fonts` options.

```

129 \babelprovide [
130   onchar          = { ids~ fonts }
131 ] { malayalam }
132 \ltx_other_main_font:nnn { malayalam } {
133   NFSSFamily      = { മലയാളം_main },
134   Scale           = { 1.3 },
135   UprightFont     = { RIT-Rachana-Regular.ttf },
136   ItalicFont      = { RIT-Rachana-Regular.ttf },
137   BoldFont        = { RIT-Rachana-Bold.ttf },
138   BoldItalicFont  = { RIT-Rachana-Bold.ttf },
139   SlantedFont     = { RIT-Rachana-Regular.ttf },
140   BoldSlantedFont = { RIT-Rachana-Bold.ttf },
141   SwashFont       = { RIT-Rachana-Regular.ttf },
142   BoldSwashFont   = { RIT-Rachana-Bold.ttf },

```

```

143   SmallCapsFont          = { RIT-Rachana-Regular.ttf }
144 } { RIT-Rachana-Regular.ttf }
145 \lngx_other_sans_font:nnn { malayalam } {
146   NFSSFamily             = { ൧൧൩൩൩൩_sans },
147   Scale                   = { 1.3 },
148   UprightFont            = { RIT-MeeraNew.ttf },
149   ItalicFont             = { RIT-MeeraNew.ttf },
150   BoldFont               = { RIT-MeeraNew.ttf },
151   BoldFeatures           = { FakeBold = { 1.2 } },
152   BoldItalicFont         = { RIT-MeeraNew.ttf },
153   BoldItalicFeatures     = { FakeBold = { 1.2 } },
154   SlantedFont            = { RIT-MeeraNew.ttf },
155   BoldSlantedFeatures    = { FakeBold = { 1.2 } },
156   BoldSlantedFont        = { RIT-MeeraNew.ttf },
157   SwashFont              = { RIT-MeeraNew.ttf },
158   BoldSwashFont          = { RIT-MeeraNew.ttf },
159   BoldSwashFeatures      = { FakeBold = { 1.2 } },
160   SmallCapsFont          = { RIT-MeeraNew.ttf }
161 } { RIT-Rachana-Regular.ttf }
162 \lngx_other_mono_font:nnn { malayalam } {
163   NFSSFamily             = { ൧൧൩൩൩൩_mono },
164   Scale                   = { 1.3 },
165   UprightFont            = { RIT-tnjoy-regular.ttf },
166   ItalicFont             = { RIT-tnjoy-regular.ttf },
167   BoldFont               = { RIT-tnjoy-bold.ttf },
168   BoldItalicFont         = { RIT-tnjoy-bold.ttf },
169   SlantedFont            = { RIT-tnjoy-regular.ttf },
170   BoldSlantedFont        = { RIT-tnjoy-bold.ttf },
171   SwashFont              = { RIT-tnjoy-regular.ttf },
172   BoldSwashFont          = { RIT-tnjoy-bold.ttf },
173   SmallCapsFont          = { RIT-tnjoy-regular.ttf }
174 } { RIT-Rachana-Regular.ttf }
175 }

```

In order to allow Malayalam in math mode, I use the following code. Since this setting has to be done after the initialisation, I use a hook for lazy loading.

```

176
177 \IfPackageLoadedT { lua-unicode-math } {
178   \DeclareSymbolFont { ൧൧൩൩൩൩ }
179                       { TU }
180                       { ൧൧൩൩൩൩_main }
181                       { m }
182                       { n }
183 }
184
185 \hook_gput_code:nnn { begindocument / end } { . } {

```

```

186 \IfPackageLoadedF { lua-unicode-math } {
187   \DeclareSymbolFont { മലയാളം }
188     { TU }
189     { മലയാളം_main }
190     { m }
191     { n }
192 }
193 \int_step_inline:nmn { "0D00 } { "0D7F } {
194   \Umathcode #1 = "0 ~ \use:c { symമലയാളം } ~ #1
195 }
196 }
197 </malayalam>

```